

FORDIA®

DD Xpress

A pre-mixed drilling additive by Matex

This revolutionary new product is pre-mixed for easy use – no complicated recipes to follow. **Simply add to water to create a high viscosity fluid mix** that improves removal of drill cuttings, conditions bore hole walls and provides optimized core recovery.

DD Xpress prevents rust and polymer build-up, enhances tool life and penetration rates, and reduces torque. What's more, it is transportable by air and is environmentally friendly.

- ✓ Can be used in either fresh or brackish water.
- ✓ Concentrated so transportation costs are reduced.
- ✓ Effective in drilling conditions where temperatures exceed 150°F.



DD Xpress

Dry suspended polyacrylamide

RECOMMENDED USE	An environmentally safe DSPA (Dry Suspended Polyacrylamide). Add to water to create a very high viscosity drilling fluid used for removal of cuttings, continuous borehole wall conditioning, in-hole torque reduction and optimized core recovery. Protects against rod wear, prevents rust and polymer build-up while extending all tool life.
DESCRIPTION	<ul style="list-style-type: none"> • Environmentally safe, very high molecular weight, DSPA that can be used in either fresh or brackish water. • Imparts excellent viscosity yield. It is a superior product for borehole stabilization and encapsulation of solids. • Effective in drilling conditions where borehole temperatures exceed 150° F. • Reduces transportation costs for drilling because of its concentrated nature. • Enhances both bit-life and penetration rates during drilling operations. • Based on an environmentally safe technology which has proven to be effective in lubricating down-hole consumables for more than 25 years. • Inhibits swelling of clay like materials such as saprolites, talcs & kimberlites which in turn eliminates bit balling. • Protects drill rod wear when using wedges. • Increases tool joint life by reducing in hole torque.
SUGGESTED DOSAGE	2 - 4 litres per 1000 litres of water. 2 - 4 quarts per 250 gallons of water.

Recommended drilling additives accessories



Mud mixer

Essential tool for obtaining a perfect blend of drilling additives.



Viscosity funnel

A quick test in order to measure the viscosity of a mix of additives.



pH indicator

These strips are ideal for the mineral exploration market and test the full 0 – 14 pH range.

WWW.FORDIA.COM

T 514.336.9211

TF 1.800.768.7274

F 514.745.4125

info@fordia.com

© 2016-11 Fordia. All rights reserved.